SILVERLINK 600



GS3 - Lincat Silverlink 600 Electric Counter-top Griddle - Steel Plate - W 300 mm - 2.0 kW

- Hard wearing 12 mm think machined steel plate providing even heat distribution and excellent heat retention
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments

Power and Performance

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- Plug and play for an easy installation

230

400

Specifications

<u>Summary</u>

Brand Range Power Type Unit Type Available in UK Only	Lincat Silverlink 600 Electric Counter-top No	Total Power kW Temperature Range °C IP Rating Cooking Area (Width x Depth) mm Temperature Control	2.0 50-250 IP23 262 x 405 Mechanical
UK Warranty Export Warranty GTIN	2 Years Parts and Labour Warranty Contact your local dealer 5056105100072		
Key Specifications Number of Heat Zones Grill Plate Surface Type Grill Plate Material	2 Smooth Steel		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	330 300 600 22	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps	No Yes No 2,000 8.7

Single Phase Voltage

Three Phase Voltage

Shipping

Packed Weight Kg	23.9
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40

Available Accessories		
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm	
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm	
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW	

Product Code: GS3


Page Number: 1

lincat


SILVERLINK 600

Available Accessories		
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW	
SB3	300 GRIDDLE SPLASHB	
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm	

Technical Picture









SILVERLINK 600

Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm