SILVERLINK 600



GS3/E - Lincat Silverlink 600 Electric Counter-top Griddle - Extra Power - W 300 mm - 2.5 kW Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- Extra powered element for maximum output for a busy kitchen
- Hard wearing 12 mm think machined steel plate providing even heat distribution and excellent heat retention
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- Plug and play for an easy installation

Specifications

Summary **Power and Performance Brand Total Power kW** 2.5 Range Silverlink 600 Temperature Range °C 50-250 **Power Type** Electric IP33 Cooking Area (Width x Depth) mm **Unit Type** 262 x 405 Counter-top Available in UK Only **Temperature Control** Mechanical

2 Years Parts and Labour Warranty

Contact your local dealer

5056105100089

Key Specifications

UK Warranty

GTIN

Export Warranty

 Number of Heat Zones
 2

 Grill Plate Surface Type
 Smooth

 Grill Plate Material
 Steel

Weights and Dimensions Supply Connections Unit Height (External) mm Requires Installation 330 Nο Unit Width (External) mm **Requires Electrical Supply** 300 Yes UK 3 Pin Plug Unit Depth (External) mm 600 Yes Net Weight Kg 22.4 **Requires Hardwiring** No **Electrical Supply Rating Watts** 2,500 Single Phase Amps 10.9 Single Phase Voltage 230

Shipping

Packed Weight Kg	25
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40

Available Accessories

CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW







Available Accessories


SB3 300 GRIDDLE SPLASHB

SLS3 Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

Company No. 2170 Fig

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: GS3/E Page Number: 3 Print Date: 14/12/2020