



LYNX⁴⁰⁰

PRODUCT OPTIONS AND ACCESSORIES

- SH141 Shelf for LCOXL ovens 553mm x 330mm

Whether you're making croissants, rolls, pies, pastries, pizzas our new plug and play Lynx 400 Series XL Convection Oven is a fantastic addition to your kitchen if you're short of space.

PRODUCT FEATURES

- Powerful fan assisted cooking for uniform heat, and consistent cooking results
- Powerful 2.5kW oven allows rapid heat up time
- Temperature range 50-250°C
- Simple dial control for easy use
- 60 minute timer enables accurate cooking times
- Accommodates 4 x 1/1 gastronorms placed directly on shelf runners
- Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- Easy plug and play operation - 13A plug

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	670 mil
Depth	570 mil
Height	605 mil
Weight	49.6 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	85 cm
Ship Height	76 cm
Ship Weight	54.56 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	10.9	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2500	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2.5 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Capacity Volume	49.6 l	Full-Size Or Half-Size	Full-Size
Control Type	Rotary Control Knob	Gastronorm Capacity	4 x GN1/1
Convection Oven Fan Type	Single Direction	Interior	Stainless Steel
Cooking Chamber Depth	390 mm	Number Of Cooking Chambers	1
Cooking Chamber Height	440 mm	Number of Pans	0
Cooking Chamber Width	585 mm	Number of Wire Racks	3
Cooking Rack Depth	330 mm	Sheet Pan Capacity	4 x 533mm x 381mm
Cooking Rack Width	550 mm	Standard Depth Or Bakery Depth	Standard Depth
Door Construction	Single Door	Temperature Maximum	250 °C
Door Hinge Type	Left Hang Hinge	Temperature Minimum	50 °C
Door Type	Stainless Steel With Viewing Glass	Type of Lighting	Halogen

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

