



LYNX400

PRODUCT FEATURES

- Excellent even heat distribution allows you to use the whole plate - maximum output from limited counter space
- Fast heat up from cold
- One piece cast iron griddle plate with integral splashguard - gives excellent heat retention
- Even heat distribution over the cooking surface which allows you to use the whole surface area
- Splash guard to keep surround area cleaner during cooking
- Thermostatically controlled for even cooking results
- Plug and play for an easy installation

The perfect Full English Breakfast has never been this quick and simple. Introducing the 2kW Lynx 400 Griddle - offering incredible versatility, it's ideal for cooking eggs, bacon and much more besides. Compact but sturdy, the griddle is designed to plug in and play, so you'll be delivering delicious dishes in no time at all. The plate heats up fast and features an efficient heat distribution system which allows you to use the whole surface area. Perfect for cafes and pubs, the griddle is thermostatically controlled for even cooking results and comes with a splash guard to keep surround area cleaner during cooking.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	315 mil
Depth	400 mil
Height	163 mil
Weight	11.1 kg

SHIPPING DETAILS

Ship Width	48.5 cm
Ship Depth	48.5 cm
Ship Height	42 cm
Ship Weight	12.21 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	8.7	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Rotary Control Knob	Number Of Controls	1
Cooking Area Plate Depth	310 mm	Number of Heating Zones	1
Cooking Area Plate Width	290 mm	Plate Shape	Rectangle
Cooking Plate Finish Material Type	Cast Iron Plate	Plate Thickness	6 mm
Food Production Rate	98 x 115g [4oz] burgers [frozen] per hour	Temperature Maximum	250 °C
Legs or Casters	Not Applicable	Temperature Minimum	50 °C
Lower Platen Surface Type (multi-select)	Smooth	Thermostat Element Location	Under Plate Mount

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

