



LYNX⁴⁰⁰

PRODUCT OPTIONS AND ACCESSORIES

- BR15 Wall Bracket

Producing perfect pizzas and paninis every time, the 3kW Lynx 400 Superchef Infra Red Grill heats up rapidly and saves energy as you only need to switch it on when you need it. Compact and sturdy, the grill is designed to plug in and play, so you'll be delivering perfect meals in no time. Featuring an even heat distribution, variable heat control of both upper and lower elements and an accurate electrical timer for precise cooking control, the enamel fascia is also easy to clean.

PRODUCT FEATURES

- Super Chef salamander grill with additional control
- Rapid heat up - save energy by switching on just when you need to use it
- Independent variable heat control of both upper and lower elements for extra versatility
- Even heat provides maximum output
- Accurate electrical timer for precise cooking control
- Enamel fascia for easy cleaning
- Six clip-in, user-changeable quartz infrared elements
- Spillage pan and rod shelf with stay cool handles, supplied as standard
- Plug and play for an easy installation



LINCAT LYNX SUPERCHEF ELECTRIC COUNTER-TOP INFRA-RED GRILL WITH ROD SHELF & SPILLAGE PAN - W 552 MM - 3.0 KW

MODEL: LSC

WEIGHTS & DIMENSIONS

Width	552 mil
Depth	302 mil
Height	325 mil
Weight	14.1 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	15.51 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	13	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	3000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	3 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Food Production Rate	216 toast slices, 96 toasted sandwiches per hour
Broiler Type	Salamander	Heat Location	Top Only
Control Type	Mechanical, Rotary Control Knob	Heat Source Type	Infrared
Cooking Area Plate Depth	270 mm	Number of Heating Zones	1
Cooking Area Plate Width	460 mm	Number of Shelf Positions	1

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

