



OE8701 - Lincat Opus 800 Electric Free-standing Pasta Cooker - W 400 mm - 6.0 kW

If you're looking for a pasta boiler, steamer and Bain Marie but don't have the space for all of these appliances, then you'll love the Opus 800 Electric Pasta Cooker, which can do all of these things.

- ✓ Flexible - can be used as a pasta boiler, steamer or bain marie, saving valuable space
- ✓ Starch removal system keeps water fresh
- ✓ Two position water setting: fast fill, or trickle fill for maintaining water level while cooking
- ✓ Boil dry protection
- ✓ Direct connection to water supply and waste

Specifications

Summary

| | |
|-----------------------------|-----------------------------------|
| Brand | Lincat |
| Range | Opus 800 |
| Power Type | Electric |
| Unit Type | Free-standing |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN | 5056105102458 |

Power and Performance

| | |
|-----------------------------|------------|
| Total Power kW | 6.0 |
| Temperature Range °C | 130-190 |
| IP Rating | IP34 |
| Temperature Control | Mechanical |

Key Specifications

| | |
|--------------------------|---|
| Number of Baskets | 0 |
| Number of Tanks | 1 |

Capacity

| | |
|--------------------------------|-----------------------------|
| Gastronom Capacity | 1 x GN1/1 |
| Product Output per Hour | 7.5kg pasta - penne [fresh] |
| Capacity Litres | 24 |

Weights and Dimensions

| | |
|----------------------------------|------|
| Unit Height (External) mm | 1020 |
| Unit Width (External) mm | 400 |
| Unit Depth (External) mm | 800 |
| Net Weight Kg | 58.4 |

Supply Connections

| | |
|---------------------------------------|--------------------------|
| Requires Installation | Yes |
| Requires Electrical Supply | Yes |
| UK 3 Pin Plug | No |
| Requires Hardwiring | Yes |
| Electrical Supply Rating Watts | 6,000 |
| Single Phase Amps | 26.1 |
| Single Phase Voltage | 230 |
| Three Phase Amps | L1=13.0; L2=13.0; L3=N/A |
| Three Phase Voltage | 400 |
| Water Connection Pressure Bar | 0.2-10.0 |
| Drain Connection | 28 mm |
| Water Connection | 3/4" |

Shipping

| | |
|-------------------------|-------|
| Packed Weight Kg | 64.24 |
| Packed Height cm | 122 |
| Packed Width cm | 85 |
| Packed Depth cm | 45 |

Available Accessories




OA8922

BASKET-PASTA BOILER - 298 x 328 x 230 DEEP

Available Accessories

| | |
|--------|---|
| OA8924 | BASKET-PASTA BOILER - 143 x 288 x 230 DEEP |
| OA8925 | PASTA BOILER BASKET 1/6 SQUARE - 143 x 163 x 230 DEEP |
| OA8926 | GASTRONORM & LID |
| OA8927 | GASTRONORM & LID |
| OA8928 | GASTRONORM & LID |
| OA8931 | GASTRONORM(PER)& LID |
| OA8932 | GASTRONORM(PER)& LID |

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm