



## OG8107/OP/P - Lincat Opus 800 Propane Gas Free-standing Single Tank Fryer with Pumped Filtration - 2 Baskets - W 600 mm - 30.0 kW

An accurate Opus 800 Single-Tank Free Standing Gas Fryer which comes with a pumped oil filtration system.

- ✓ Accurate thermostatic control up to 190°C for consistent results and safe operation
- ✓ Convenient piezo ignition
- ✓ Pumped oil return enables the oil to be filtered and the fryer ready for use again in less than five minutes - safe and convenient
- ✓ Oil can be filtered during or after service even whilst hot
- ✓ Externally fired heating gives easy access for cleaning tanks

### Specifications

Summary		Power and Performance	
<b>Brand</b>	Lincat	<b>BTU per Hour</b>	102,360
<b>Range</b>	Opus 800	<b>Total Power kW</b>	30.0
<b>Power Type</b>	Gas	<b>Temperature Range °C</b>	90-190
<b>Gas Type</b>	Propane Gas	<b>IP Rating</b>	IP24
<b>Unit Type</b>	Free-standing	<b>Temperature Control</b>	Mechanical
<b>Available in UK Only</b>	No		
<b>UK Warranty</b>	2 Years Parts and Labour Warranty		
<b>Export Warranty</b>	Contact your local dealer		
<b>GTIN</b>	5056105103073		

Key Specifications		Capacity	
<b>Number of Baskets</b>	2	<b>Product Output per Hour</b>	39kg chips - 12mm [frozen], 53kg chips - 12mm [chi]
<b>Number of Tanks</b>	1	<b>Capacity Litres</b>	25.0
<b>Gravity Filtration</b>	No		
<b>Pumped Filtration</b>	Yes		
<b>Drain Location</b>	Through the body		

Weights and Dimensions		Supply Connections	
<b>Unit Height (External) mm</b>	1070	<b>Requires Installation</b>	Yes
<b>Unit Width (External) mm</b>	600	<b>Requires Electrical Supply</b>	Yes
<b>Unit Depth (External) mm</b>	800	<b>UK 3 Pin Plug</b>	Yes
<b>Net Weight Kg</b>	122	<b>Requires Hardwiring</b>	No
		<b>Electrical Supply Rating Watts</b>	100
		<b>Single Phase Amps</b>	0.5
		<b>Single Phase Voltage</b>	230
		<b>Gas Connection BSP</b>	1/2"
		<b>Gas Consumption at full rate Propane m³ per Hour</b>	2.14
		<b>Gas Pressure Propane mbar</b>	37.0
		<b>Total heat input at full rate Propane kW</b>	30.0
		<b>Total heat input at full rate Propane BTU per hour</b>	102,364


Shipping

Packed Weight Kg	135
Packed Height cm	122
Packed Width cm	70
Packed Depth cm	85

Available Accessories

BA159	WIRE BASKET
LK02	OPUS 350 LEG KIT
OA8955	SPLASHGUARD FRYERS - OPUS 800

Technical Picture





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm