lincat





OG8110/N - Lincat Opus 800 Natural Gas Freestanding Single Tank Fryer - 1 Basket - W 300 mm - 16.0 kW

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition

The accurate Opus 800 Single-Tank Free Standing Gas Fryer comes with an accurate thermostatic control that goes up to 190°C, ensuring consistent results and safe operation.

Externally fired heating gives easy access for cleaning tanks

Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	54,592
Range	Opus 800	Total Power kW	16.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Natural Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103097		
Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	22kg chips - 12mm [frozen], 32kg chips -
Number of Tanks	1		12mm[chi
Gravity Filtration	No	Capacity Litres	14.0
Pumped Filtration	No		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1020	Requires Installation	Yes
Unit Width (External) mm	300	Requires Electrical Supply	No
Unit Depth (External) mm	815	Gas Connection BSP	1/2"
Net Weight Kg	70	Gas Consumption at full rate Natural m ³ per Hour	1.52
		Gas Pressure Natural mbar	20.0
		Total heat input at full rate Natural kW	16.0
		Total heat input at full rate Natural BTU per hour	54,594
Shipping			
Packed Weight Kg	82.5		
Packed Height cm	122		

Available Accessories	
CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU
LK02	OPUS 350 LEG KIT

Packed Width cm

Packed Depth cm

85


45

lincat



Available Accessories	
OA8955	SPLASHGUARD FRYERS - OPUS 800
OF1	Oil filter kit - size 1

Technical Picture



lincat



lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm