



OG8402/P - Lincat Opus 800 Propane Gas Countertop Chargrill - W 900 mm - 21.0 kW

 Five multiple heat zones can form differing temperature on the same surface, allowing you to cook chicken fillets only inches away from steaks.
Individual zones can be turned off during quiet periods.

 Highly powerful infra-red burners respond quicker and heat faster than standard burners allowing you to increase your output and achieve energy savings

 Heavy-duty cast iron branding grids with reversible design, for uninterrupted cooking and self cleaning at maximum power Embrace the unique power and versatility of the Opus 800 Five-Zone Gas Chargrill, which provides five heat zones capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks.

Flame failure protection

Heavy duty radiant caps protect burners

Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	71,652
Range	Opus 800	Total Power kW	21.0
Power Type	Gas	Cooking Area (Width x Depth) mm	800 × 620
Gas Type	Propane Gas	Temperature Control	Mechanical
Jnit Type	Counter-top		
Available in UK Only	No		
JK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
STIN	5056105102847		
Key Specifications		Capacity	
lumber of Heat Zones	5	Product Output per Hour	118 x 225g[8oz]steaks[chilled]
Veights and Dimensions		Supply Connections	
Jnit Height (External) mm	653	Requires Installation	Yes
nit Width (External) mm	900	Requires Electrical Supply	No
Jnit Depth (External) mm	806	Gas Connection BSP	1/2"
let Weight Kg	115	Gas Consumption at full rate Propane m ³ per Hour	1.5
		Gas Pressure Propane mbar	37
		Total heat input at full rate Propane kW	21.0
		Total heat input at full rate Propane BTU per hour	71,652
Shipping			


Packed Weight Kg
Packed Height cm
Packed Width cm
Packed Depth cm


lincat



Available Accessories		
OA8951	Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm	
OA8951/C	Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm	
RC03M	RADIANT COVER - OPUS 800 - UNDER DEVELOPMENT	

Technical Picture





lincat



Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30,Z

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm