



GS4 - Lincat Silverlink 600 Electric Counter-top Griddle - Steel Plate - W 450 mm - 2.7 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ Plug and play for an easy installation
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2.7
Range	Silverlink 600	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Cooking Area (Width x Depth) mm	412 x 405
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100096		

Key Specifications	
Number of Heat Zones	2
Grill Plate Surface Type	Smooth
Grill Plate Material	Steel

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Unit Width (External) mm	450	Requires Electrical Supply	Yes
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	30.9	Requires Hardwiring	No
		Electrical Supply Rating Watts	2,700
		Single Phase Amps	11.7
		Single Phase Voltage	230
		Three Phase Voltage	400




Shipping	
Packed Weight Kg	42.1
Packed Height cm	63.5
Packed Width cm	70
Packed Depth cm	55

Available Accessories	
CC4	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
CN4	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
HC4	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW

Available Accessories

HCL4	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW
SB4	450 GRIDDLE SPLASHB
SLS4	Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm