



GS6 - Lincat Silverlink 600 Electric Counter-top Griddle - Steel Plate - Single Zone - W 600 mm - 3.0 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications

Summary Power and Performance

<p>Brand Lincat</p> <p>Range Silverlink 600</p> <p>Power Type Electric</p> <p>Unit Type Counter-top</p> <p>Available in UK Only No</p> <p>UK Warranty 2 Years Parts and Labour Warranty</p> <p>Export Warranty Contact your local dealer</p> <p>GTIN 5056105100102</p>	<p>Total Power kW 3.0</p> <p>Temperature Range °C 50-250</p> <p>IP Rating IP23</p> <p>Cooking Area (Width x Depth) mm 562 x 405</p> <p>Temperature Control Mechanical</p>
--	--

Key Specifications

Number of Heat Zones	2
Grill Plate Surface Type	Smooth
Grill Plate Material	Steel

Weights and Dimensions Supply Connections

<p>Unit Height (External) mm 330</p> <p>Unit Width (External) mm 600</p> <p>Unit Depth (External) mm 600</p> <p>Net Weight Kg 40</p>	<p>Requires Installation No</p> <p>Requires Electrical Supply Yes</p> <p>UK 3 Pin Plug Yes</p> <p>Requires Hardwiring No</p> <p>Electrical Supply Rating Watts 3,000</p> <p>Single Phase Amps 13.0</p> <p>Single Phase Voltage 230</p>
--	---

Shipping

Packed Weight Kg	51.3
Packed Height cm	63.5
Packed Width cm	70
Packed Depth cm	70




Available Accessories

CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW

Available Accessories

SB6	600 GRIDDLE SPLASHB
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm