



Product Description

The DIM-30DE produces cubed ice and has a new exterior design. The freshly produced ice does not come in contact with light or air when stored and therefore maintains the highest quality. Its ice is very well suited for multiple environments including food and beverage, leisure and healthcare.







Available Models

Ice Production

Model	Air Cooled	Ice Production per 24h (Approx.)	Temperature	Ice Production per Cycle (Approx.)	Water Consumption per 24h (Approx.)	Storage Capacity (Approx.)
DIM-30DE-1	✓	34kg 35kg 31kg	AT.10°C, WT.10°C AT.21°C, WT.15°C AT.32°C, WT.21°C	0.6kg / 27pcs	0.20m³ 0.21m³ 0.18m³	15kg
DIM-30DE-2	✓	42kg 36kg 30kg	AT.10°C, WT.10°C AT.21°C, WT.15°C AT.32°C, WT.21°C	0.61kg / 27pcs	0.17m³ 0.11m³ 0.09m³	15kg

Specifications

Specification	DIM-30DE-1	DIM-30DE-2	Operation Requirements
Production Capacity (kg/24h) Approx.	35	42	Ambient Temperature: 1 - 40°C
Storage Bin Capacity (kg) Approx.	15	15	Water Supply Temperature: 5 - 35°C
Dimensions W x D x H (mm)	350 x 526 x 1590	350 x 526 x 1590	Water Supply Pressure: 0.07 - 0.78MPa (0.7 - 7.8 bar)
Electrical Supply	1/220 - 240V 50/60Hz	1/220 - 240V 50/60Hz	Voltage Range: Rated Voltage ± 6/10%
Electrical Capacity (kVa)	0.66 / 0.57	0.6 / 0.58	
Refrigerant	R134a / 190g	R134a / 200g	Accessories
Weight Gross / Net (kg)	71 / 65	71 / 65	Mounting Brace (Wall, Floor), Installation Kit
Type of Ice	Cube ice	Cube Ice	

For more information visit our website www.hoshizaki-europe.com














Full CAD specification drawings available on website

