

Depth (Internal) mm

Net Weight Kg

Shelf Dimensions Width mm

Shelf Dimensions Depth mm

430

424

298

0





F73/071/SS - IMC BM70 Bottle Cooler [Top Load] - Glass Lid - H 875 mm - W 700 mm - 0.345 kW Designed for underbar use, the BM70 features rapid cooling technology and an innovative storage system to provide perfectly-chilled drinks that can be served quickly.

- Rapid cooling so drinks can be served quickly
- Stylish storage for 140 bottles
- Top loading design provides fast and easy access to ice cold drinks
- Glazed sliding doors mean drinks can be seen without opening
- Stylish exterior to suit any commercial bar setting
- UK 3 pin plug allows users to simply plug in and switch on
- Optional baskets and dividers provide easy loading
- Interior lighting option enhances visibility for bar staff

| Specifications | | | |
|----------------------------|-----------------------------------|---------------------------------------|------------|
| Summary | | Power and Performance | |
| Brand | IMC | Total Power kW | 0.345 |
| Range | BM Bottle Cooler | Temperature Range °C | 2-6 |
| Power Type | Electric | IP Rating | IPX1 |
| Unit Type | Free-standing | Temperature Control | Electronic |
| Available in UK Only | No | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105198062 | | |
| Key Specifications | | Capacity | |
| Door Hinge | Sliding | Capacity Bottles | 140 |
| Door Location | Тор | Capacity Litres | 130 |
| Lockable Door | Yes | | |
| Colour | Stainless Steel | | |
| Number of Doors | 2 | | |
| Shelf Material | Plastic Coated | | |
| Number of Shelves included | 2 | | |
| Number of Shelf Positions | 2 | | |
| Refrigerant Type | R134a | | |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm | 875 | Requires Installation | No |
| Unit Width (External) mm | 700 | Requires Electrical Supply | Yes |
| Unit Depth (External) mm | 560 | UK 3 Pin Plug | Yes |
| Height (Internal) mm | 495 | Requires Hardwiring | No |
| Width (Internal) mm | 625 | Electrical Supply Rating Watts | 345 |

Single Phase Amps

Single Phase Voltage

1.5

240





Shipping

Packed Weight Kg 0
Packed Height cm 0
Packed Width cm 0
Packed Depth cm 0

Available Options

INTERNAL LIGHT

VS321A BM70 INTERNAL LIGHT

SPEED RAIL

VS326 BM70 SPEED RAIL

Available Accessories

A12/089 Bottle Basket for BM Bottle Cooler


S73/004 Bottle Opener and Cap Catcher for BM Bottle Cooler


\$73/010 Divider Pack for BM70 Bottle Cooler


Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm