



ICC062E - RATIONAL iCombi Classic - Model 6- 2/1 - Electric Free- standing Combi Oven - 22.4 kW

The RATIONAL iCombi Classic 6-2/1 is truly multitasking, and will quickly become the indispensable assistant in your kitchen.

- ✔ 6 x GN 2/1 capacity, ideal for restaurants and food service applications
- ✔ Produce consistent high quality results with crisp crusts, attractive diamond grill patterns, or crispy breaded products
- ✔ Easy to use controls, with recognisable symbols and dial with a push function
- ✔ Digital display of cooking chamber humidity, time, and adjustable temperature
- ✔ Store up to 100 cooking programmes with as many as 12 steps
- ✔ Steam mode with steam regulation in 10% stages, together with consistent cooking cabinet temperature and optimal steam saturation, provides a uniform cooking process
- ✔ Advantages of steam combined with benefits of convection heat: short cooking time, reduction in shrinkage and intensive aromas with appetising colours. No cooking loss, no drying, high quality
- ✔ 4 automatic cleaning programmes, and integrated hand shower

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	22.4
Range	RATIONAL	Temperature Range °C	30-300
Series	iCombi Classic	IP Rating	IPX5
Power Type	Electric	Temperature Control	Electronic
Unit Type	Free-standing	Oven Rating kW	Steam connection = 18.0; Hot air connection = 21.6
Available in UK Only	Yes		
UK Warranty	RATIONAL 2 Years Parts and Labour Warranty		

Key Specifications		Capacity	
WRAS Approved	Yes	Gastronorm Capacity	6 x GN2/1
Type of Lighting	LED	Portions per Day	60-160
Number of Grids included	0		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	804	Requires Installation	Yes
Unit Width (External) mm	1072	Requires Electrical Supply	Yes
Unit Depth (External) mm	1042	UK 3 Pin Plug	No
Net Weight Kg	131	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	22,400
		Three Phase Amps	L1=35.0; L2=35.0; L3=35.0
		Three Phase Voltage	400
		Water Connection Pressure Bar	6
		Drain Connection	DN 50 mm
		Water Connection	3/4"

Shipping

Packed Weight Kg	144.1
Packed Height cm	96
Packed Width cm	117.5
Packed Depth cm	115.5

Available Accessories

56.00.598	RATIONAL De-foamer Tablets - x 120 [for use with iCC - iCP - SCC - CMP units]
60.31.087	RATIONAL UG II Static Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Side Panels and Top Panel - H 699 mm
60.31.090	RATIONAL UG I Static Stand for Models 6-2/1, 10-2/1 - Open on all Sides - H 699 mm
60.31.092	RATIONAL UG III Static Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Side Panels, Rear Panel and Top Panel- H 699 mm
60.31.094	RATIONAL UG IV Static Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Closed on all Sides, Double Wing Doors - H 699 mm
60.31.102	RATIONAL UG I Mobile Stand for Models 6-2/1, 10-2/1 - Open on all Sides - H 699 mm
60.31.104	RATIONAL UG II Mobile Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Side Panels and Top Panel - H 699 mm
60.31.106	RATIONAL UG III Mobile Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Side Panels, Rear Panel and Top Panel- H 699mm
60.31.108	RATIONAL UG IV Mobile Stand for Models 6-2/1, 10-2/1 - 14 Pairs of Support Rails - Closed on all Sides, Double Wing Doors - H 699 mm
60.31.203	RATIONAL UG I Static Stand for Combi-Duo Models 6-2/1 on 6-2/1 or 10-2/1E - Open on all Sides - H 200 mm
60.31.216	RATIONAL UG III Static Stand for Models 6-2/1 with UltraVent - 20 Pairs of Support Rails - Side Panels, Rear Panel and Top Panel- H 945 mm
60.62.017	RATIONAL Mobile Plate Rack - 34 Plates - Model 6-2/1
60.62.150	RATIONAL Mobile Oven Rack - Model 6-2/1 - 6 Racks - Rail Distance 64 mm - Requires Run-in Rail
60.62.196	RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 34 Plates - Model 6-2/1
60.70.464	RATIONAL Appliance Connection Kit - Model 6-1/1-20-2/1 - with Adapter for Model XS
60.70.943	RATIONAL Grill and Pizza Tray - GN1/1(325 x 530 mm)
60.71.157	RATIONAL Multibaker - 8 moulds - GN1/1(325 x 530 mm)
60.71.617	RATIONAL Grilling and Roasting Tray - GN1/1(325 x 530 mm)
60.72.592	RATIONAL Condensation Breaker - Models 6-1/1, 10-1/1, 6-2/1, 10-2/1
60.73.999	RATIONAL Transport Trolley for Mobile Oven Racks - Standard - H 990 mm - Model 6-2/1, 10-2/1
60.74.650	RATIONAL Standard Run-in Rail for Mobile Oven Racks - Models 6-2/1, 10-2/1
60.74.725	RATIONAL Combi-Duo Kit - for Models 6-2/1E/G on 6-2/1E or 6-2/1E/G on 10-2/1E
60.75.135	RATIONAL UltraVent® Condensation Hood - for Electric Models 6-2/1, 10-2/1
60.75.143	RATIONAL UltraVent® Plus Smoke and Condensation Hood - for Electric Models 6-2/1, 10-2/1
60.75.605	RATIONAL Transport Trolley for Mobile Oven Racks - Adjustable Height 800-1330 mm - Model 6-2/1, 10-2/1
6004.1016	RATIONAL Thermocover for Mobile Oven Rack and Mobile Plate Rack - Model 6-2/1
6006.0110	RATIONAL Descaler - 10 litres [for iCombi Classic - iCombi Pro - SCC - CMP units]
6010.1101	RATIONAL Rust-free Stainless Steel Grid - GN1/1(325 x 530 mm)
6010.2101	RATIONAL Rust-free Stainless Steel Grid - GN2/1(650 x 530 mm)
6013.1102	RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 20 mm deep
6013.1103	RATIONAL Roasting and Baking Tray - Non-stick - GN1/1(325 x 530 mm)
6013.1106	RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 65 mm deep
6013.2103	RATIONAL Roasting and Baking Tray - Non-stick - GN2/1(650 x 530 mm)
6014.1102	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 20 mm deep
6014.1104	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 40 mm deep
6014.1106	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 60 mm deep
6014.2102	RATIONAL Granite-enamelled Container - GN2/1(650 x 530 mm) - 20 mm deep
6014.2104	RATIONAL Granite-enamelled Container - GN2/1(650 x 530 mm) - 40 mm deep

Available Accessories

6014.2106	RATIONAL Granite-enamelled Container - GN2/1 (650 x 530 mm) - 60 mm deep
6015.1103	RATIONAL Perforated Baking Tray - GN1/1 (325 x 530 mm)
6015.1165	RATIONAL Stainless Steel Perforated Container - GN1/1 (325 x 530 mm) - 55 mm deep
6015.2103	RATIONAL Perforated Baking Tray - GN2/1 (650 x 530 mm)
6019.1150	RATIONAL CombiFry® Frying Basket - GN1/1 (325 x 530 mm)
6035.1006	RATIONAL Chicken Superspike - 8 Chicken Capacity - GN1/1
6035.1010	RATIONAL Chicken Superspike - 10 Chicken Capacity - GN1/1
6035.1016	RATIONAL Chicken Superspike - 6 Chicken Capacity - GN1/1
6035.1017	RATIONAL CombiGrill Griddle - 1/1 GN (325 x 530 mm)
9006.0136	RATIONAL Special Cleaning Agent - Soft - for CleanJet - 10 litres [for CMP & ClimaPlus units only]
9006.0137	RATIONAL Clear Rinsing Agent - for CleanJet - 10 litres [for CMP & ClimaPlus units only]
9006.0153	RATIONAL Grill Cleaner for Stubborn Dirt - for CleanJet - 10 litres [for CMP & ClimaPlus units only]



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm