



ICC201E - RATIONAL iCombi Classic - Model 20- 1/1 - Electric Free- standing Combi Oven - 37.2 kW

The RATIONAL iCombi Classic 20-1/1 is truly multitasking, and will quickly become the indispensable assistant in your kitchen.

- ✓ Large 20 x GN 1/1 capacity, ideal for mass catering and for food service establishments with high output requirements
- ✓ Produce consistent high quality results with crisp crusts, attractive diamond grill patterns, or crispy breaded products
- ✓ Easy to use controls, with recognisable symbols and dial with a push function
- ✓ Digital display of cooking chamber humidity, time, and adjustable temperature
- ✓ Store up to 100 cooking programmes with as many as 12 steps
- ✓ Steam mode with steam regulation in 10% stages, together with consistent cooking cabinet temperature and optimal steam saturation, provides a uniform cooking process
- ✓ Advantages of steam combined with benefits of convection heat: short cooking time, reduction in shrinkage and intensive aromas with appetising colours. No cooking loss, no drying, high quality
- ✓ 4 automatic cleaning programmes, and integrated hand shower

Specifications

Summary Power and Performance

Brand	Lincat	Total Power kW	37.2
Range	RATIONAL	Temperature Range °C	30-300
Series	iCombi Classic	IP Rating	IPX5
Power Type	Electric	Temperature Control	Electronic
Unit Type	Free-standing	Oven Rating kW	Steam connection = 36.0; Hot air connection = 36.0
Available in UK Only	Yes		
UK Warranty	RATIONAL 2 Years Parts and Labour Warranty		

Key Specifications Capacity

WRAS Approved	Yes	Gastronorm Capacity	20 x GN1/1
Type of Lighting	LED	Portions per Day	150-300
Number of Grids included	0		

Weights and Dimensions Supply Connections

Unit Height (External) mm	1872	Requires Installation	Yes
Unit Width (External) mm	877	Requires Electrical Supply	Yes
Unit Depth (External) mm	913	UK 3 Pin Plug	No
Net Weight Kg	231	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	37,200
		Three Phase Amps	L1=63.0; L2=63.0; L3=63.0
		Three Phase Voltage	400
		Water Connection Pressure Bar	6
		Drain Connection	DN 50 mm
		Water Connection	3/4"

Shipping

Packed Weight Kg	254.1
Packed Height cm	204.3
Packed Width cm	100.8
Packed Depth cm	101.3

Available Accessories

56.00.598	RATIONAL De-foamer Tablets - x 120 [for use with iCC - iCP - SCC - CMP units]
60.21.293	RATIONAL Mobile Plate Rack - 60 Plates - Model 20-1/1
60.21.294	RATIONAL Mobile Plate Rack - 50 Plates - Model 20-1/1
60.21.331	RATIONAL Mobile Oven Rack - Model 20-1/1 - 20 Racks - Rail Distance 65 mm - Requires Run-in Rail
60.21.332	RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 60 Plates - Model 20-1/1
60.21.333	RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 50 Plates - Model 20-1/1
60.70.464	RATIONAL Appliance Connection Kit - Model 6-1/1-20-2/1 - with Adapter for Model XS
60.70.943	RATIONAL Grill and Pizza Tray - GN1/1(325 x 530 mm)
60.71.157	RATIONAL Multibaker - 8 moulds - GN1/1(325 x 530 mm)
60.71.617	RATIONAL Grilling and Roasting Tray - GN1/1(325 x 530 mm)
60.73.619	RATIONAL CombiFry® Frying Basket - GN2/3(325 x 354 mm)
60.73.646	RATIONAL Multibaker Tray - 5 Moulds - GN2/3(325 x 354 mm)
60.75.136	RATIONAL UltraVent® Condensation Hood - for Electric Model 20-1/1
60.75.326	RATIONAL Condensation Breaker - Models 20-1/1, 20-2/1
6004.1011	RATIONAL Thermocover for Mobile Oven Rack and Mobile Plate Rack - Model 20-1/1
6006.0110	RATIONAL Descaler - 10 litres [for iCombi Classic - iCombi Pro - SCC - CMP units]
6010.1101	RATIONAL Rust-free Stainless Steel Grid - GN1/1(325 x 530 mm)
6013.1102	RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 20 mm deep
6013.1103	RATIONAL Roasting and Baking Tray - Non-stick - GN1/1(325 x 530 mm)
6013.1106	RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 65 mm deep
6013.2302	RATIONAL Stainless Steel Container - GN2/3(325 x 354 mm) - 20 mm deep
6013.2306	RATIONAL Stainless Steel Container - GN2/3(325 x 354 mm) - 65 mm deep
6014.1102	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 20 mm deep
6014.1104	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 40 mm deep
6014.1106	RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 60 mm deep
6014.1202	RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 20 mm deep
6014.1204	RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 40 mm deep
6014.1206	RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 60 mm deep
6015.1103	RATIONAL Perforated Baking Tray - GN1/1(325x530 mm)
6015.1165	RATIONAL Stainless Steel Perforated Container - GN1/1(325 x 530 mm) - 55 mm deep
6019.1150	RATIONAL CombiFry® Frying Basket - GN1/1(325 x 530 mm)
6019.1250	RATIONAL CombiFry® Frying Basket - GN1/2(325 x 265 mm)
6035.1006	RATIONAL Chicken Superspike - 8 Chicken Capacity - GN1/1
6035.1010	RATIONAL Chicken Superspike - 10 Chicken Capacity - GN1/1
6035.1015	RATIONAL Chicken Superspike - 4 Chicken Capacity - GN1/2
6035.1016	RATIONAL Chicken Superspike - 6 Chicken Capacity - GN1/1
6035.1017	RATIONAL CombiGrill Griddle - 1/1 GN(325 x 530 mm)
6035.1018	RATIONAL Ribs Rack - GN1/1(325 x 530 mm)
6035.1019	RATIONAL Potato Baker - GN1/1(325 x 530 mm)
9006.0136	RATIONAL Special Cleaning Agent - Soft - for CleanJet - 10 litres [for CMP & ClimaPlus units only]

Available Accessories

9006.0137

RATIONAL Clear Rinsing Agent - for CleanJet - 10 litres [for CMP & ClimaPlus units only]

9006.0153

RATIONAL Grill Cleaner for Stubborn Dirt - for CleanJet - 10 litres [for CMP & ClimaPlus units only]



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm